

Reviewed publications based on data from the national Swedish marine environmental monitoring program carried out at the Department of Systems Ecology, Stockholm University (Number of citations to 2009-04-01 included)

Adrian R, Hansson S, Sandin B, De Stasio B, Larsson U (1999) Effects of food availability and predation on a marine zooplankton community - A study on copepods in the Baltic Sea. *Int Rev Hydrobiol* 84:609-626

Times Cited: 7

Artoli Y, Friedrich J, Gilbert AJ, McQuatters-Gollop A, Mee LD, Vermaat JE, Wulff F, Humborg C, Palmeri L, Pollehne F (2008) Nutrient budgets for European seas: A measure of the effectiveness of nutrient reduction policies. *Mar Pollut Bull* 56:1609-1617

Times Cited: 0

Bianchi TS, Engelhaupt E, McKee BA, Miles S, Elmgren R, Hajdu S, Savage C, Baskaran M (2002) Do sediments from coastal sites accurately reflect time trends in water column phytoplankton? A test from Himmerfjärden Bay (Baltic Sea proper). *Limnology and Oceanography* 47:1537-1544

Times Cited: 11

Bianchi TS, Rolff C, Widbom B, Elmgren R (2002) Phytoplankton pigments in Baltic Sea seston and sediments: Seasonal variability, fluxes, and transformations. *Estuarine Coastal and Shelf Science* 55:369-383

Times Cited: 23

Blomqvist S, Larsson U (1994) DETRITAL BEDROCK ELEMENTS AS TRACERS OF SETTLING RESUSPENDED PARTICULATE MATTER IN A COASTAL AREA OF THE BALTIC SEA. *Limnology and Oceanography* 39:880-896

Times Cited: 52

Blomqvist S, Gunnars A, Elmgren R (2004) Why the limiting nutrient differs between temperate coastal seas and freshwater lakes: A matter of salt. *Limnology and Oceanography* 49:2236-2241

Times Cited: 24

- Carman R, Cederwall H (2001) Sediments and their macrofauna in the Baltic Sea - characteristics, nutrient content and distribution. In: Wulff F, Rahm L, Larsson P (eds) A Systems Analysis of the Baltic Sea. Springer Verlag, Berlin, Heidelberg
Times Cited: 9
- Cederwall H, Elmgren R (1980) BIOMASS INCREASE OF BENTHIC MACROFAUNA DEMONSTRATES EUTROPHICATION OF THE BALTIC SEA. *Ophelia*:287-304
Times Cited: 116
- Cederwall H, Elmgren R (1990) BIOLOGICAL EFFECTS OF EUTROPHICATION IN THE BALTIC SEA, PARTICULARLY THE COASTAL ZONE. *Ambio* 19:109-112
Times Cited: 116
- Cederwall H, Blomqvist M (1991) Long-term changes in soft bottom macrofauna in the Gulf of Bothnia a sign of eutrophication. *Ichthyologica et Piscatoria* 21:39-40
Times Cited: 0
- Conley DJ, Humborg C, Rahm L, Savchuk OP, Wulff F (2002) Hypoxia in the Baltic Sea and basin-scale changes in phosphorus biogeochemistry. *Environmental Science & Technology* 36:5315-5320
Times Cited: 54
- de Jonge VN, Boynton WR, D'Elia CF, Elmgren R, Welsh BL (1994) Responses to developments in eutrophication in four different North Atlantic estuarine systems. In: Dyer KR, Orth RJ (eds) Changes in Fluxes in Estuaries ECSA22/ERF Symposium, September 1992, Plymouth, p 179-196
Times Cited: 35
- Ehrenberg SZ, Hansson S, Elmgren R (2005) Sublittoral abundance and food consumption of Baltic gobies. *Journal of Fish Biology* 67:1083-1093
Times Cited: 4
- Elmgren R, Hansson S, Larsson U, Sundelin B, Boehm PD (1983) THE TSESIS OIL-SPILL - ACUTE AND LONG-TERM IMPACT ON THE BENTHOS. *Marine Biology* 73:51-65
Times Cited: 93
- Elmgren R (1984) Trophic dynamics in the enclosed, brackish Baltic Sea. *Rapports et*

Procès-verbaux des Reunions Conseil International pour l'Exploration de la Mer
183:152-169

Times Cited: 138

Elmgren R (1989) MANS IMPACT ON THE ECOSYSTEM OF THE BALTIC SEA -
ENERGY FLOWS TODAY AND AT THE TURN OF THE CENTURY. *Ambio*
18:326-332

Times Cited: 162

Elmgren R, Larsson, U (2001) Nitrogen and the Baltic Sea: Managing nitrogen in
relation to phosphorus. *TheScientificWorld* 1:371-377

Times Cited: 25

Elmgren R, Larsson U (2001) Eutropication in the Baltic Sea Area: Integrated Coastal
Management Issues. In: von Bodungen B, Turner R (eds) *Science and
Integrated Coastal Management*. Dahlem University Press, Berlin, p 15-35

Times Cited: 34

Gorokhova E, Aladin N, Dumont HJ (2000) Further expansion of the genus *Cercopagis*
(Crustacea, Branchiopoda, Onychopoda) in the Baltic Sea, with notes on the taxa
present and their ecology. *Hydrobiologia* 429:207-218

Times Cited: 21

Gorokhova E, Edlund A, Hajdu S, Zhivotova EN (2007) Nucleic acid levels in copepods:
dynamic response to phytoplankton blooms in the northern Baltic proper. *Marine
Ecology-Progress Series* 349:213-225

Times Cited: 1

Graneli E, Wallström K, Larsson U, Graneli W, Elmgren R (1990) NUTRIENT
LIMITATION OF PRIMARY PRODUCTION IN THE BALTIC SEA AREA. *Ambio*
19:142-151

Times Cited: 212

Gustafsson O, Andersson P, Roos P, Kukulska Z, Broman D, Larsson U, Hajdu S, Ingri
J (2004) Evaluation of the collection efficiency of upper ocean sub-photic-layer
sediment traps: a 24-month in situ calibration in the open Baltic Sea using Th-
234. *Limnol Oceanogr Meth* 2:62-74

Times Cited: 15

Hagström A, Larsson U, Hörstedt P, Normark S (1979) FREQUENCY OF DIVIDING CELLS, A NEW APPROACH TO THE DETERMINATION OF BACTERIAL-GROWTH RATES IN AQUATIC ENVIRONMENTS. *Applied and Environmental Microbiology* 37:805-812

Times Cited: 316

Hajdu S (1993) Species descriptions: Species No. 21, 22, 31, 98. In: Snoeijs P (ed) *Intercalibration and distribution of diatom species in the Baltic Sea, Vol 1*. Opulus Press, Uppsala, Uppsala, p 35-36, 45, 112

Hajdu S (1994) Species descriptions: Species No. 112, 115-118, 120, 131, 186, 194. In: Snoeijs P, Vilbaste S (eds) *Intercalibration and distribution of diatom species in the Baltic Sea, Vol 2*. Opulus Press, Uppsala, Uppsala, p 24, 27-30, 32, 43, 98, 106

Hajdu S (1995) Species descriptions: Species No. 206, 207, 224, 284, 287. In: Snoeijs P, Potapova M (eds) *Intercalibration and distribution of diatom species in the Baltic Sea, Vol 3*. Opulus Press, Uppsala, Uppsala, p 18-19, 36, 96, 99

Hajdu S, Larsson U, Moestrup O (1996) Seasonal dynamics of Chrysochromulina species (Prymnesiophyceae) in a coastal area and a nutrient-enriched inlet of the northern Baltic proper. *Bot Marina* 39:281-295

Times Cited: 15

Hajdu S (1996) Species descriptions: Species No. 330, 332, 333. In: Snoeijs P, Kasperoviciene J (eds) *Intercalibration and distribution of diatom species in the Baltic Sea, Vol 4*. Opulus Press, Uppsala, Uppsala, p 42, 44-45

Hajdu S (1998) Species descriptions: Species No. 423 and 449. In: Snoeijs P, Balashova N (eds) *Intercalibration and distribution of diatom species in the Baltic Sea, Vol 5*. Opulus Press, Uppsala, Uppsala, p 35, 61

Hajdu S, Edler L, Olenina I, Witek B (2000) Spreading and establishment of the potentially toxic dinoflagellate *Prorocentrum minimum* in the Baltic Sea. *Internat Rev Hydrobiol* 85:561-575

Times Cited: 22

- Hajdu S, Pertola S, Kuosa H (2005) *Prorocentrum minimum* (Dinophyceae) in the Baltic Sea: morphology, occurrence - a review. *Harmful Algae* 4:471-480
Times Cited: 7
- Hajdu S, Larsson U (2006) Life-cycle stages of *Dinophysis acuminata* (Dinophyceae) in the Baltic Sea. *African Journal of Marine Science* 28:289-293
Times Cited: 3
- Hansson S, Larsson U, Johansson S (1990) SELECTIVE PREDATION BY HERRING AND MYSIDS, AND ZOOPLANKTON COMMUNITY STRUCTURE IN A BALTIC SEA COASTAL AREA. *Journal of Plankton Research* 12:1099-1116
Times Cited: 61
- Hansson S, Rudstam LG, Johansson S (1990) ARE MARINE PLANKTONIC INVERTEBRATES FOOD LIMITED - THE CASE OF MYDIA-MIXTA (CRUSTACEA, MYDIDACEA) IN THE BALTIC SEA. *Oecologia* 84:430-432
Times Cited: 11
- Hansson S, Rudstam LG (1995) GILLNET CATCHES AS AN ESTIMATE OF FISH ABUNDANCE - A COMPARISON BETWEEN VERTICAL GILLNET CATCHES AND HYDROACOUSTIC ABUNDANCES OF BALTIC SEA HERRING (*CLUPEA-HARENGUS*) AND SPRAT (*SPRATTUS-SPRATTUS*). *Can J Fish Aquat Sci* 52:75-83
Times Cited: 33
- Hansson S, Hobbie JE, Elmgren R, Larsson U, Fry B, Johansson S (1997) The stable nitrogen isotope ratio as a marker of food-web interactions and fish migration. *Ecology* 78:2249-2257
Times Cited: 108
- Hjerne O, Hansson S (2002) The role of fish and fisheries in Baltic Sea nutrient dynamics. *Limnology and Oceanography* 47:1023-1032
Times Cited: 12
- Höglander H, Larsson U, Hajdu S (2004) Vertical distribution and settling of spring phytoplankton in the offshore NW Baltic Sea proper. *Marine Ecology-Progress Series* 283:15-27

Times Cited:11

Höök TO, Gorokhova E, Hansson S (2008) RNA : DNA ratios of Baltic Sea herring larvae and copepods in embayment and open sea habitats. *Estuarine Coastal and Shelf Science* 76:29-35

Times Cited: 0

Håkansson H, Hajdu S, Snoeijs P, Loginova L (1993) *Cyclotella hakanssoniae* Wendker and its relationship to *C. caspia* Grunow and other similar brackish water *Cyclotella* species. *Diatom Research* 8:333-347

Times Cited: 18

Jaanus A, Hajdu S, Kaitala S, Andersson A, Kaljurand K, Ledaine I, Lips I, Olenina I (2006) Distribution patterns of isomorphic cold-water dinoflagellates (Scrippsiella/Woloszynskia complex) causing 'red tides' in the Baltic Sea. *Hydrobiologia* 554:137-146

Times Cited: 1

Johansson S, Hansson S, Arayanunez O (1993) TEMPORAL AND SPATIAL VARIATION OF COASTAL ZOOPLANKTON IN THE BALTIC SEA. *Ecography* 16:167-173

Times Cited: 11

Johansson M, Gorokhova E, Larsson U (2004) Annual variability in ciliate community structure, potential prey and predators in the open northern Baltic Sea proper. *Journal of Plankton Research* 26:67-80

Times Cited:21

Kautsky H (2008) Askö Area and Himmerfjärden. In: Schiewer U (ed) *Ecology of Baltic Coastal Waters*, p 335-361

Larsson U, Hagström A (1979) PHYTOPLANKTON EXUDATE RELEASE AS AN ENERGY-SOURCE FOR THE GROWTH OF PELAGIC BACTERIA. *Marine Biology* 52:199-206

Times Cited: 178

Larsson U, Hagström A (1982) FRACTIONATED PHYTOPLANKTON PRIMARY PRODUCTION, EXUDATE RELEASE AND BACTERIAL PRODUCTION IN A

BALTIC EUTROPHICATION GRADIENT. *Marine Biology* 67:57-70

Times Cited: 308

Larsson U, Elmgren R, Wulff F (1985) Eutrophication and the baltic Sea - causes and consequences. *Ambio* 14:9-14

Times Cited: 281

Larsson U, Hajdu S, Walve J, Elmgren R (2001) Baltic Sea nitrogen fixation estimated from the summer increase in upper mixed layer total nitrogen. *Limnology and Oceanography* 46:811-820

Times Cited: 81

Leck C, Larsson U, Bågander LE, Johansson S, Hajdu S (1990) DIMETHYL SULFIDE IN THE BALTIC SEA - ANNUAL VARIABILITY IN RELATION TO BIOLOGICAL-ACTIVITY. *J Geophys Res-Oceans* 95:3353-3363

Times Cited: 134

Lehtiniemi M, Pääkkönen J, Flinkman J, Katajisto T, Gorokhova E, Karjalainen M, Viitasalo S, Björk H (2007) Distribution and abundance of the American comb jelly (*Mnemiopsis leidyi*) - A rapid invasion to the northern Baltic Sea during 2007. *Aquatic Invasions* 2:445-449

Times Cited: 3

Linden O, Elmgren R, Boehm P (1979) TSESIS OIL-SPILL - ITS IMPACT ON THE COASTAL ECOSYSTEM OF THE BALTIC SEA. *Ambio* 8:244-253

Times Cited: 31

Nissling A, Westin L, Hjerne O (2002) Reproductive success in relation to salinity for three flatfish species, dab (*Limanda limanda*), plaice (*Pleuronectes platessa*), and flounder (*Pleuronectes flesus*), in the brackish water Baltic Sea. *ICES J Mar Sci* 59:93-108

Times Cited: 13

Olafsson E, Elmgren R (1997) Seasonal dynamics of sublittoral meiobenthos in relation to phytoplankton sedimentation in the Baltic Sea. *Estuarine Coastal and Shelf Science* 45:149-164

Times Cited: 47

- Rahm L, Conley D, Sanden P, Wulff F, Stålnacke P (1996) Time series analysis of nutrient inputs to the Baltic sea and changing DSi:DIN ratios. *Marine Ecology-Progress Series* 130:221-228
Times Cited: 48
- Rahm L, Jonsson A, Wulff F (2000) Nitrogen fixation in the Baltic proper: an empirical study. *Journal of Marine Systems* 25:239-248
Times Cited: 25
- Riemann L, Leitet C, Pommier T, Simu K, Holmfeldt K, Larsson U, Hagström A (2008) The native bacterioplankton community in the central Baltic sea is influenced by freshwater bacterial species. *Applied and Environmental Microbiology* 74:503-515
Times Cited:2
- Rolff C, Almesjö L, Elmgren R (2007) Nitrogen fixation and abundance of the diazotrophic cyanobacterium *Aphanizomenon* sp in the Baltic Proper. *Marine Ecology-Progress Series* 332:107-118
Times Cited: 4
- Rosenberg R, Elmgren R, Fleischer S, Jonsson P, Persson G, Dahlin H (1990) MARINE EUTROPHICATION CASE-STUDIES IN SWEDEN. *Ambio* 19:102-108
Times Cited: 186
- Rosenberg R, Blomqvist M, Nilsson HC, Cederwall H, Dimming A (2004) Marine quality assessment by use of benthic species-abundance distributions: a proposed new protocol within the European Union Water Framework Directive. *Mar Pollut Bull* 49:728-739
Times Cited: 75
- Rudstam LG, Hansson S, Larsson U (1986) ABUNDANCE, SPECIES COMPOSITION AND PRODUCTION OF MYSID SHRIMPS IN A COASTAL AREA OF THE NORTHERN BALTIC PROPER. *Ophelia*:225-238
Times Cited: 35
- Rudstam LG, Danielsson K, Hansson S, Johansson S (1989) DIEL VERTICAL MIGRATION AND FEEDING PATTERNS OF MYSIS-MIXTA (CRUSTACEA,

MYSIDACEA) IN THE BALTIC SEA. *Marine Biology* 101:43-52

Times Cited: 76

Rudstam LG, Hansson S, Johansson S, Larsson U (1992) DYNAMICS OF PLANKTIVORY IN A COASTAL AREA OF THE NORTHERN BALTIC SEA. *Marine Ecology-Progress Series* 80:159-173

Times Cited: 77

Sandberg J, Elmgren R, Wulff F (2000) Carbon flows in Baltic Sea food webs - a re-evaluation using a mass balance approach. *Journal of Marine Systems* 25:249-260

Times Cited: 23

Savage C, Elmgren R, Larsson U (2002) Effects of sewage-derived nutrients on an estuarine macrobenthic community. *Marine Ecology-Progress Series* 243:67-82

Times Cited: 11

Savage C, Leavitt PR, Elmgren R (2004) Distribution and retention of effluent nitrogen in surface sediments of a coastal bay. *Limnology and Oceanography* 49:1503-1511

Times Cited: 19

Savage C, Elmgren R (2004) Macroalgal (*fucus vesiculosus*) delta N-15 values trace decrease in sewage influence. *Ecological Applications* 14:517-526

Times Cited: 29

Savchuk O, Wulff F (2001) A model of the Biogeochemical Cycles of Nitrogen and Phosphorus in the Baltic. In: Wulff F, Rahm L, Larsson P (eds) *A Systems Analysis of the Baltic Sea*. Springer Verlag, Berlin, Heidelberg, p 373-416

Times Cited: 6

Savchuk O, Wulff F, Hille S, Humborg C, Pollehne F (2008) The Baltic Sea a century ago - a reconstruction from model simulations, verified by observations. *Journal of Marine Systems* 74:485-494

Times Cited: 1

Sobek A, Gustafsson O, Hajdu S, Larsson U (2004) Particle-water partitioning of PCBs in the photic zone: A 25-month study in the open Baltic Sea. *Environmental*

Science & Technology 38:1375-1382

Times Cited:21

Tett P, Gilpin L, Svendsen H, Erlandsson CP, Larsson U, Kratzer S, Fouilland E, Janzen C, Lee JY, Grenz C, Newton A, Ferreira JG, Fernandes T, Scory S (2003) Eutrophication and some European waters of restricted exchange. *Cont Shelf Res* 23:1635-1671

Times Cited: 32

Vahtera E, Conley DJ, Gustafsson BG, Kuosa H, Pitkänen H, Savchuk OP, Tamminen T, Viitasalo M, Voss M, Wasmund N, Wulff F (2007) Internal ecosystem feedbacks enhance nitrogen-fixing cyanobacteria blooms and complicate management in the Baltic Sea. *Ambio* 36:186-194

Times Cited: 18

Walve J, Larsson U (1999) Carbon, nitrogen and phosphorus stoichiometry of crustacean zooplankton in the Baltic Sea: implications for nutrient recycling. *Journal of Plankton Research* 21:2309-2321

Times Cited: 26

Walve J, Larsson U (2007) Blooms of Baltic Sea *Aphanizomenon* sp (cyanobacteria) collapse after internal phosphorus depletion. *Aquatic Microbial Ecology* 49:57-69

Times Cited:3

Wulff F, Rahm L, Rodriguez-Medina M (1994) Long-term and regional variation of nutrients in the Baltic Sea: 1972-1991. *Finnish Marine Research* 262:35-50

Times Cited: 30

Wulff F, Perttilä M, Rahm L (1996) Monitoring, mass balance calculation of nutrients and the future of the Gulf of Bothnia. *Ambio*:28-35

Times Cited: 11

Wulff F, Rahm L, Hallin A-K, Sandberg J (2001) A nutrient Budget Model of the Baltic Sea. In: Wulff F, Rahm L, Larsson P (eds) *A Systems Analysis of the Baltic Sea*, Vol 1. Springer Verlag, Berlin, Heidelberg, p 353-372

Times Cited: 25

Österblom H, Hansson S, Larsson U, Hjerne O, Wulff F, Elmgren R, Folke C (2007)

Human-induced trophic cascades and ecological regime shifts in the Baltic sea.

Ecosystems 10:877-889

Times Cited:6